



PRODUCT LIST 2006

VERSAMOUNT ROLL PANELS SPECIAL SHEETS – FIRE RETARDANT

Sheet
Size Sheet
Thickness



1. Sheets FOS (Fluted one side only)

Short Fluted

| | | | |
|-----------------|---|------------------------|--------------|
| FOS35SWM | Fluted One Side only (FOS) panel, White | 2440mm x 1220mm | 3.5mm |
| FOS35SBM | Fluted One Side only (FOS) panel, Black | 2440mm x 1220mm | 3.5mm |
| FOS35STM | Fluted One Side only (FOS) panel, Translucent | 2440mm x 1220mm | 3.5mm |
| FOS50SWN | Fluted One Side only (FOS) panel, White | 2040mm x 1220mm | 5mm |
| FOS50SWM | Fluted One Side only (FOS) panel, White | 2440mm x 1220mm | 5mm |
| FOS50SBM | Fluted One Side only (FOS) panel, Black | 2440mm x 1220mm | 5mm |
| FOS50STM | Fluted One Side only (FOS) panel, Translucent | 2440mm x 1220mm | 5mm |
| FOS10SWM | Fluted One Side only (FOS) panel, White | 2440mm x 1220mm | 10mm |

Long Fluted

| | | | |
|-----------------|--|------------------------|------------|
| FOS50LW | Fluted One Side only (FOS) panel, White | 1220mm x 2440mm | 5mm |
| FOS50SWL | Fluted One Side only (FOS) panel, White | 2000mm x 3000mm | 5mm |
| FOS50STL | Fluted One Side only (FOS) panel, Translucent | 2000mm x 3000mm | 5mm |
| FOS50SWX | *Fluted One Side only (FOS) panel, White | 2500mm x 3000mm | 5mm |
| FOS50STX | *Fluted One Side only (FOS) panel, Translucent (*NB.not hand trimmed) | 2500mm x 3000mm | 5mm |

Colours: FOS available Red, Blue, Yellow, Green - minimum 250 sheets
Custom colour matching service - minimum 1,000 sheets



2. Sheets SWO1 (Double fluted single sided tape backed)

Short Fluted

| | | | |
|-----------------|---|------------------------|--------------|
| SWO135SW | Double Fluted Smooth white vinyl backed sheets, White | 2440mm x 1220mm | 3.5mm |
| SWO135SB | Double Fluted Smooth white vinyl backed sheets, Black | 2440mm x 1220mm | 3.5mm |
| SWO150SW | Double Fluted Smooth white vinyl backed sheets, White | 2440mm x 1220mm | 5mm |
| SWO150SB | Double Fluted Smooth white vinyl backed sheets, Black | 2440mm x 1220mm | 5mm |

Long Fluted

| | | | |
|-----------------|---|------------------------|------------|
| SWO150LW | Double Fluted Smooth white vinyl backed sheets, White | 1220mm x 2440mm | 5mm |
|-----------------|---|------------------------|------------|



3. Sheets ACO1 (Double fluted double sided adhesive tape backed)

Short Fluted

| | | | |
|-----------------|--|------------------------|--------------|
| ACO135SB | Double Fluted Adhesive backed sheets (AC01), Black | 2440mm x 1220mm | 3.5mm |
| ACO150SB | Double Fluted Adhesive backed sheets (AC01), Black | 2440mm x 1220mm | 5mm |

Dimensions: First dimension across flute, second along flute

Cut sheets to size, per cut per sheet

PRODUCT WARRANTY Versamount warrants that the products shall be free from defects in material and workmanship. The Company has no control over the way in which the products are used and therefore, no warranty is made as to the effects of the products use. The customer and/or end-user is responsible for determining the suitability of the products for any specific use or application and for any associated risk or liability. In any event the liability of the Company shall not exceed the total contract price.

Versamount Display Systems Ltd

Unit 1, Highlands Farm Business Park, London Road, Bolney, West Sussex. RH17 5PX

Tel: +44 (0)1444 882230 Fax: +44 (0)1444 882220 Email: sales@versamount.co.uk Website: www.versamount.co.uk

VERSAPOD DISPLAY PEDESTALS



PFOS1MB Standard* Pedestal Type C Black
Black FOS panel, smooth surface outside, 1 piece Versalock joiner, vacuum formed top and base, supplied in a protective cardboard tube and box. Price excludes graphics. Carry bags extra.

PFOS1MW Standard* Pedestal Type C White
White FOS panel, smooth surface outside, 1 piece Versalock joiner, vacuum formed top and base, supplied in a protective cardboard tube and box. Price excludes graphics. Carry bags extra.

FTORW Foamex lid to fit into Standard Pedestal top, oval white

Height

900mm

900mm

10mm



PFOS2MB Premium* Pedestal Type A Black
Black FOS panel, fluted surface outside. 3 piece Versalock joiner, lid and foamex formers supplied in a protective cardboard tube and box. Price excludes graphics. Carry bags extra.

PFOS2MW Premium* Pedestal Type A White
White FOS panel, fluted surface outside. 3 piece Versalock joiner, lid and foamex formers supplied in a protective cardboard tube and box. Price excludes graphics. Carry bags extra.

BPEDSET Carry Bag Set
Includes 205 x 1100mm tube bag for panel/joiner and 700 x 700mm flat carry bag for lid and formers, both with carry handles.
* Externally, pedestals look similar but premium models are more rugged and can support much heavier weight.

1000mm

1000mm

VERSATILE DISPLAY WALLS



DFF01L 1. Large Flat Frame Type A
Size 2000mm x 900mm capable of attaching graphic panels both sides. Contents: Aluminium framing (6 pieces), one SWO1 roll panel (pre-taped ready for mounting graphics) cut to size 1995mm x 895mm. All supplied in a 205mm x 1100mm protective cardboard tube. Carry bag extra.

DCF01L 2. Large Curve Frame Type B
Size 2000mm x 900mm for attaching graphic panel to concave front face. Contents: Aluminium framing (6 pieces), one SWO1 roll panel (pre-taped ready for mounting graphics) cut to size 2005mm x 895mm. All supplied in a 205mm x 1100mm protective cardboard tube. Carry bag extra.

WSAC01L 3. Free Standing Strut Display Wall
Self standing 2440mmx1220mm SWO1 roll panel (pre-taped ready for mounting graphics) with velcro, and 3 aluminium shaped formers. Stackable to 2440mm x 2440mm. Visible frontal area 1600mm. All supplied in a 305mm x 1300mm protective cardboard tube. Optional canvas bag with handles also available.

BTM11B 4. Carry Bags
215mm x 1100mm tubular black bag with handles. For Frame Types A&B.
BTLBK 315mm x 1300mm tubular black bag with handles. For Strut Display Wall.

Panel Size

1995mm h
895mm w

2005mm h
895mm w

2440mm h
1220mm w

Versamount Display Systems Ltd

Unit 1, Highlands Farm Business Park, London Road, Bolney, West Sussex. RH17 5PX

Tel: +44 (0)1444 882230 Fax: +44 (0)1444 882220 Email: sales@versamount.co.uk Website: www.versamount.co.uk

ACCESSORIES

Versalock - Roll Panel Joining Strips

| | | <u>Length</u> |
|---------------|--|---------------|
| VLW300 | Versalock 3-piece PVC extrusion joining set white 3000mm L | 3000mm |
| VLB300 | Versalock 3-piece PVC extrusion joining set black 3000mm L | 3000mm |
| VLW100 | Versalock 3-piece PVC extrusion joining set white 1000mm L | 1000mm |
| VLB100 | Versalock 3-piece PVC extrusion joining set black 1000mm L | 1000mm |
| VLW900 | Versalock 3-piece PVC extrusion joining set white 900mm L | 900mm |
| VLB900 | Versalock 3-piece PVC extrusion joining set black 900mm L | 900mm |
| RVBK10 | Rivet sets for Versalock PVC 3 piece joiners, black, packs of 10 | |
| RVWH10 | Rivet sets for Versalock PVC 3 piece joiners, packs of 10 | |
| VLA122 | Versalock 1-piece Aluminium joiner 1220mm L | 1220mm |
| VLA100 | Versalock 1-piece Aluminium joiner 1000mm L | 1000mm |
| VLA900 | Versalock 1-piece Aluminium joiner 900mm L | 900mm |

All Versalock can be cut to specific sizes. Prices on application.

Cardboard Tubes

| | | <u>Thickness</u> |
|---------------|---|------------------|
| CBTS11 | Cardboard Tube Long Single 205mm D x 1100mm inc plastic end caps | 4mm |
| CBTS12 | Cardboard Tube Long Single 205mm D x 1270mm inc plastic end caps | 4mm |
| CBTL13 | Cardboard Tube Large Double 305mm D x 1300mm inc plastic end caps | 5mm |
| CBTL14 | Cardboard Tube Large Double 305mm D x 3000mm inc plastic end caps | 5mm |

Carry Bags

| | |
|---------------|--|
| BFLBK | Carry Bag Flat Large 700mm x 700mm x 80mm (For Ped formers & lids) |
| BTLBK | Carry Bag for Tube Large Double 315mm x 1305mm (no tube) |
| BTM11B | Carry Bag for Tube Medium Single 215mm x 1105mm (no tube) |
| BTM12B | Carry Bag for Tube Medium Single 215mm x 1305mm (no tube) |

Versamount Shell Scheme Cladding

| | | <u>Length</u> |
|---------------|--|---------------|
| VCOPB8 | T shape PVC Cladding Profile Black for Octanorm | 800mm |
| VCOCB8 | V shape corner PVC Cladding Profile Black for Octanorm/Sodem | 800mm |
| VCSPU8 | T shape PVC Cladding Profile Blue for Sodem | 800mm |

Versapod Components

| | | <u>Thickness</u> |
|----------------|--|------------------|
| DIBTLCA | Dibond Versapod Type A Pedestal lid, circular, aluminium | 3mm |
| DIBTLCW | Dibond Versapod Type A Pedestal lid, circular, white | 3mm |
| DIBTLOA | Dibond Versapod Type A Pedestal lid, oval, aluminium | 3mm |
| DIPTLOW | Dibond Versapod Type A Pedestal lid, oval, white | 3mm |
| FFLC | Foamex Versapod Type A Pedestal former, large, circular | 10mm |
| FFLO | Foamex Versapod Type A Pedestal former, large, oval | 10mm |
| VACTOPB | Vacuum formed pedestal top/base, oval, black | 3mm |
| VACTOPW | Vacuum formed pedestal top/base, oval, white | 3mm |
| FTORW | Foamex Standard Pedestal Type C lid, fits into VACTOP, oval, white | 10mm |

Sheet Samples

| | | <u>Samples Per Pack</u> |
|-----------------|--|-------------------------|
| FOSA5W | Pack of A5 FOS samples, without graphics | 80 |
| SWO1A5W | Pack of A5 SWO1 samples, without graphics | 80 |
| ACO1A5B | Pack of A5 ACO1 samples, without graphics | 80 |
| FOSA4W | Pack of A4 FOS samples, without graphics | 40 |
| SWO1A4W | Pack of A4 SWO1 samples, without graphics | 40 |
| ACO1A4B | Pack of A4 ACO1 samples, without graphics | 40 |
| FOSA5P | Pack of A5 FOS samples, with Direct print graphics | 80 |
| SWO1A5P | Pack of A5 SWO1 samples, with Direct print graphics graphics | 80 |
| ACO1A5P | Pack of A5 ACO1 samples, with Pre-print graphics mounted | 80 |
| FOSA4P | Pack of A4 FOS samples, with Direct print graphics | 40 |
| SWO1A4P | Pack of A4 SWO1 samples, with Direct print graphics | 40 |
| ACO1A4P | Pack of A4 ACO1 samples, with Pre-print graphics mounted | 40 |
| FOS806W | Pack of 800x600mm FOS samples, without graphics | 6 |
| SWO1806W | Pack of 800x600mm SWO1 samples, without graphics | 6 |
| ACO1806B | Pack of 800x600mm ACO1 samples, without graphics | 6 |

TERMS All prices are ex-works and subject to VAT. Prices exclude packaging unless otherwise stated and are subject to Versamount standard terms and conditions. Versamount operates a policy of continuous improvement and reserves the right to alter product specifications at any time.

This document does not constitute a contract to supply products at the quoted prices.

Versamount Display Systems Ltd

Unit 1, Highlands Farm Business Park, London Road, Bolney, West Sussex. RH17 5PX

Tel: +44 (0)1444 882230 Fax: +44 (0)1444 882220 Email: sales@versamount.co.uk Website: www.versamount.co.uk